

Optical Broadband Source (BBS) Module

For OneAdvisor 800 platform

The VIAVI Optical Broadband Source (BBS) module delivers comprehensive fiber characterization including coarse wavelength division multiplexing (CWDM) and dense wavelength division multiplexing (DWDM) applications in a rugged, modular platform ideal for field use.

High speed metro/core and data center interconnect (DCI) network deployments or upgrades are driving fiber characterization test out to field tech support groups. The growing number of projects is driving an increasing demand for higher productivity with better reliability and availability. In addition to deploying fiber infrastructures that perform perfectly, network operators are challenged by the need to reduce operating expenses while adding new revenue-generating services, all within an environment that seems to grow more complex by the minute.

Key Benefits

- One unique solution for measuring CD, PMD, and AP
- Shock-proof and vibration-proof with no moving parts
- Compatible with VIAVI ODM module (8100 Series) for PMD, CD and AP Measurements
- Tests high-performance components

Applications

- DWDM and very-high-speed network characterization
- CWDM system testing
- Water peak qualification
- Component qualifications
- Metro, long-haul, and very-long-haul networks



Three Test Applications in One

The optical broadband source module qualifies DWDM components with physical layer testing including measurements for chromatic dispersion (CD)(using the referenced phase shift method), polarization mode dispersion (PMD)(using the fixed analyzer method), and attenuation profile (AP) that are required for verifying high-speed and full-band DWDM transmission. Having three test applications in a single product minimizes both capital expenses and the number of instruments technicians must carry into the field.

The easy-to-use user interface gives field technicians:

- One module for multiple functions
 - Source for CD phase shift
 - Source for AP with in-line isolator
 - Source for PMD
- Direct access to select one of three test functions.

Field-Dedicated High-Performance Solution

The optical broadband source module offers the highest level of integration and ruggedness. Combined with the ODM plug-in module the complete solution is ready for any field measurement condition. Its size and weight are ideal for outside plant testing and its suite of personal computer interfaces and remote control capability are best fit for component testing.

- An all-in-one remote solution when combined with an OTDR
- Wide 1260 to 1640 nm wavelength range
- High dynamic range when combined with the ODM module (up to 45 dB)
- Fiber characterization and component testing capability

Specifications (Typical at 25°C)

Optical interfaces	
Applicable fiber	SMF 9/125 μm
Interchangeable optical connectors	FC, SC, DIN, ST, LC
Wavelength range	
E81BBS2A	1260 to 1640 nm
Minimum spectral density	-40 dBm/0.1 nm
Output power	>8 dBm
Laser safety	Class 3B (FDA21CFR)
Physical	
Weight	500 g (1.1 lb)
Dimensions (w x h x d)	213 x 124 x 32 mm (8.38 x 4.88 x 1.26 in)

Ordering Information

Broadband Source	
<i>Description</i>	<i>Part Number</i>
Broadband Source module for CD/PMD/AP (1260 to 1640 nm)	E81BBS2A
Universal Optical Connectors	
EUNIPCFC, EUNIPCSC, EUNIPCST, EUNIPCDIN, EUNIPCLC, EUNIAPCFC, EUNIAPCSC, EUNIAPCST, EUNIAPCDIN, EUNIAPCLC	

VIAVI Care Support Plans

Increase your productivity for up to 5 years with optional VIAVI Care Support Plans:

- Maximize your time with on-demand training, priority technical application support and rapid service.
- Maintain your equipment for peak performance at a low, predictable cost.

Plan availability depends on product and region. Not all plans are available for each product or in every region. To find out which VIAVI Care Support Plan options are available for this product in your region, contact your local representative or visit: viavisolutions.com/viavicareplan

Features

*5-year plans only

Plan	Objective	Technical Assistance	Factory Repair	Priority Service	Self-paced Training	5 Year Battery and Bag Coverage	Factory Calibration	Accessory Coverage	Express Loaner
 BronzeCare	Technician Efficiency	Premium	✓	✓	✓				
 SilverCare	Maintenance & Measurement Accuracy	Premium	✓	✓	✓	✓*	✓		
 MaxCare	High Availability	Premium	✓	✓	✓	✓*	✓	✓	✓



viavisolutions.com

Contact Us +1 844 GO VIAVI | (+1 844 468 4284)
To reach the VIAVI office nearest you, visit viavisolutions.com/contact

© 2024 VIAVI Solutions Inc.

Product specifications and descriptions in this document are subject to change without notice.
Patented as described at viavisolutions.com/patents

mtstbbsmod-ds-fop-nse-ae
30149366 904 0225